

Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	1993	FL	MC	mean	19.46	7.2	423	7.7	93	183.4	23.5	8.7	3.61	1.98	1.98	0.36	0.158	.	.
				median	19.2	7.2	412	7.8	88	182.9	23.3	8.7	3.51	1.92	1.92	0.359	0.163	.	.
				minimum	18.8	6.7	392	6.7	65	23.3	11.5	6.5	2.93	1.82	1.82	0.32	0.113	.	.
				maximum	21	7.8	486	8.1	190	303.6	85.3	11.9	5.31	2.33	2.33	0.41	0.187	.	.
				stderr	0.08	0.03	3	0.03	2.34	3.87	0.91	0.1	0.07	0.02	0.02	0.003	0.003	.	.
				n	75	75	75	75	75	75	75	75	75	75	75	39	40	40	40
op	1993	FL	SC	mean	19.65	7.2	428	7.7	85	158.9	20.2	8.5	3.81	1.96	1.96	0.355	0.164	.	.
				median	19.4	7.3	417	7.7	81	160.5	21	8.4	3.56	1.93	1.93	0.351	0.165	.	.
				minimum	9.3	3.2	267	6.7	26	29.7	7.1	6.8	2.12	0.21	0.21	0.152	0.065	.	.
				maximum	21.5	7.8	496	8.1	150	235.5	37.5	14.9	12.94	2.41	2.41	0.503	0.187	.	.
				stderr	0.17	0.06	4	0.04	2.18	3.77	0.55	0.12	0.25	0.05	0.05	0.009	0.003	.	.
				n	75	75	75	75	75	75	75	75	75	75	72	39	40	40	40
op	1994	WN	MC	mean	0.42	14.3	792	8.1	17	33	6.7	24.9	3.89	2.65	2.65	0.112	0.053	0	0
				median	0.5	14.3	798	8.3	17	32.8	6.6	24.9	3.53	2.66	2.66	0.111	0.054	0	0
				minimum	0.1	13.3	714	6.5	15	21.7	5.3	12	2.43	2.32	2.32	0.097	0.046	0	0
				maximum	0.8	14.9	820	8.5	20	57.8	12.1	42.8	7.26	3	3	0.136	0.061	0	0
				stderr	0.02	0.05	3	0.06	0.18	0.7	0.15	0.54	0.29	0.04	0.04	0.002	0.001	0	0
				n	52	52	52	52	52	52	52	52	52	52	52	24	23	23	28
op	1994	WN	SC	mean	1.89	13.6	758	7.9	12	19.1	5.6	19.5	3.53	2.38	2.38	0.098	0.043	0.3	1.6
				median	0.9	14.3	783	7.9	12	21.4	5.8	23	3.18	2.69	2.69	0.1	0.052	0	0
				minimum	0	9.3	666	6.2	3	3.1	2.9	1.5	1.6	1.51	1.51	0.067	0.008	0	0
				maximum	6	16	804	8.6	24	36.2	8.3	32.2	7.99	2.91	2.91	0.13	0.06	7	100
				stderr	0.22	0.23	6	0.05	0.62	1.31	0.18	1.11	0.3	0.09	0.09	0.003	0.003	0.2	1.6
				n	64	64	64	64	64	64	64	64	64	64	32	32	32	36	36
op	1994	SP	MC	mean	15.08	7.7	380	7.7	130	245.4	25.8	15.5	2.96	1.55	1.55	0.302	0.023	.	.
				median	15	7.7	383	7.8	130	230.8	26.1	15.1	2.58	1.36	1.36	0.285	0.023	.	.
				minimum	14	7.2	305	6.7	50	107.2	3.1	2.3	1.96	1.17	1.17	0.205	0.002	.	.
				maximum	16.5	8.6	446	8	260	396	41.9	25	6.36	3.34	3.34	0.416	0.071	.	.
				stderr	0.1	0.03	5	0.03	4.94	6.75	1.04	0.42	0.18	0.12	0.12	0.01	0.001	.	.
				n	75	75	75	75	75	75	75	75	75	75	29	29	29	40	74
op	1994	SP	SC	mean	15.15	7.7	386	7.6	111	204.8	22.8	16	2.61	1.48	1.48	0.278	0.027	.	.
				median	15	7.7	387	7.6	110	191.4	23.9	16.6	2.52	1.29	1.29	0.259	0.027	.	.
				minimum	14	7.3	325	6.8	45	121	0.1	7.1	1.89	1.14	1.14	0.165	0.004	.	.
				maximum	16	8.5	450	8	190	340.9	36.4	25.8	4.4	3.36	3.36	0.391	0.063	.	.
				stderr	0.08	0.03	5	0.03	4.97	6.35	0.97	0.56	0.12	0.1	0.1	0.01	0.002	.	.
				n	64	64	60	64	62	64	64	64	63	27	29	29	31	64	0
op	1994	SM	MC	mean	26.87	6.6	561	8	73	109.7	16.7	17.6	3.16	1.37	1.37	0.188	0.09	.	.
				median	26.9	6.6	563	8	69	101.2	16	16	3.15	1.37	1.37	0.167	0.084	.	.
				minimum	26	5.8	535	7.7	30	40.8	8.3	4.4	1.62	0.81	0.81	0.138	0.004	.	.
				maximum	28	7.9	595	8.2	140	183.1	31.8	31.7	6.34	2.07	2.07	0.302	0.205	.	.
				stderr	0.05	0.04	1	0.01	2.78	4.15	0.59	0.71	0.1	0.07	0.07	0.008	0.006	.	.
				n	76	76	76	76	76	76	76	76	76	76	76	41	24	24	39

Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	1994	SM	SC	mean	27.57	6.9	552	8	52	67.3	11.1	14	2.77	1.3	1.3	0.155	0.085	.	.
				median	27.4	6.6	554	8	54	69.3	11.6	12.1	2.92	1.24	1.24	0.16	0.097	.	.
				minimum	26.2	5.6	512	7.8	22	10.5	3.8	1	1.44	0.73	0.73	0.057	0.007	.	.
				maximum	29	10.4	612	8.4	96	160.5	23.7	63.6	4.15	2.46	2.46	0.292	0.149	.	.
				stderr	0.07	0.12	2	0.02	2.42	3.63	0.41	1.12	0.1	0.07	0.07	0.009	0.007	.	.
				n	75	75	75	75	72	75	75	74	40	34	34	36	36	0	0
op	1994	FL	MC	mean	17.41	9	560	7.9	45	57.3	11.3	22.2	2.14	1.4	1.4	0.16	0.061	.	.
				median	17.5	8.8	561	7.9	43	56.7	11.9	21.6	2.04	1.36	1.36	0.169	0.058	.	.
				minimum	16.5	8.4	521	7.6	26	9.3	1.2	10.1	1.91	1.32	1.32	0.071	0.039	.	.
				maximum	18.7	10.8	575	8	68	92.8	15.5	35.3	3.71	2.33	2.33	0.22	0.12	.	.
				stderr	0.04	0.07	1	0.01	0.98	1.45	0.3	0.5	0.05	0.03	0.03	0.006	0.003	.	.
				n	75	75	64	75	75	75	75	75	40	40	40	38	37	0	0
op	1994	FL	SC	mean	18.13	9.5	569	7.8	34	36.3	9.6	29.4	2.13	0.98	0.98	0.099	0.032	.	.
				median	17.5	9.7	560	7.9	36	33.2	9.4	24.4	1.96	1.36	1.36	0.077	0.035	.	.
				minimum	16	6	482	6.7	13	7.2	2.4	4.5	1.04	0.1	0.1	0.021	0.002	.	.
				maximum	20.8	13.7	648	8.3	56	67.5	16.9	109.1	7.12	1.57	1.57	0.176	0.106	.	.
				stderr	0.14	0.15	4	0.03	1.48	2.2	0.42	2.37	0.19	0.09	0.09	0.007	0.004	.	.
				n	74	74	69	74	74	73	73	74	38	39	39	38	39	0	0
op	1995	WN	MC	mean	1.49	13.1	458	7.9	78	139.9	12.6	9.1	3.26	2.44	2.44	0.198	0.04	0	0
				median	1.4	13.1	456	7.9	85	126.1	12.9	8.5	3.18	2.41	2.41	0.194	0.039	0	0
				minimum	1	12.6	395	7.6	42	76.3	9.2	5.7	2.56	2	2	0.131	0.024	0	0
				maximum	2	14	519	8.1	110	283.8	17.2	27.3	5.99	2.99	2.99	0.258	0.068	0	0
				stderr	0.03	0.04	4	0.01	1.99	6.18	0.21	0.32	0.09	0.04	0.04	0.005	0.002	0	0
				n	76	76	76	76	76	76	76	75	41	41	41	40	39	76	76
op	1995	WN	SC	mean	2.02	12.9	460	7.9	62	80.2	9.9	8.5	3.07	2.43	2.43	0.177	0.041	0	0
				median	1.7	13	455	7.8	65	78.1	10.8	8	3.01	2.37	2.37	0.175	0.039	0	0
				minimum	1	11.5	398	7.7	25	15.8	4	3.8	2.58	2.04	2.04	0.126	0.026	0	0
				maximum	4.4	14	495	8.1	98	148.5	16.5	14.7	3.81	2.97	2.97	0.237	0.066	0	0
				stderr	0.11	0.08	3	0.01	2.79	5.3	0.43	0.28	0.05	0.04	0.04	0.005	0.002	0	0
				n	75	75	75	75	75	75	75	75	39	40	40	39	39	75	75
op	1995	SP	MC	mean	12.67	8.8	471	7.7	179	301	27.2	11.8	4.87	3.54	3.54	0.416	0.039	.	.
				median	12.6	8.8	461	7.7	180	282.9	25.3	11.9	4.73	3.69	3.69	0.437	0.036	.	.
				minimum	12.2	8.3	414	7.4	130	208.1	19.4	8.8	4.24	0.1	0.1	0.11	0.022	.	.
				maximum	13.3	9.1	520	7.8	280	501.4	42.4	14.3	7.96	4.9	4.9	0.572	0.064	.	.
				stderr	0.03	0.02	3	0.01	4.14	11.09	0.86	0.13	0.12	0.13	0.13	0.018	0.002	.	.
				n	75	75	75	75	75	44	44	75	40	40	40	40	40	0	0
op	1995	SP	SC	mean	12.75	8.9	473	7.7	161	269.2	25.7	12.4	4.75	3.62	3.62	0.412	0.045	.	.
				median	12.8	8.9	471	7.7	150	248.2	25.1	12.4	4.68	3.75	3.75	0.416	0.041	.	.
				minimum	12.2	8.3	417	7.6	120	179.9	16.2	1	4	0.7	0.7	0.237	0.013	.	.
				maximum	13.3	9.3	516	7.8	270	514.7	43.3	28.5	6.36	4.01	4.01	0.599	0.123	.	.
				stderr	0.04	0.03	3	0.01	4.12	8.05	0.64	0.31	0.07	0.1	0.1	0.012	0.003	.	.
				n	75	75	75	75	75	73	73	75	41	42	42	41	41	0	0

Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	1995	SM	MC	mean	28.93	5.9	510	7.7	98	146.7	16.6	11.7	3.11	1.8	1.8	0.249	0.047	.	.
				median	28.5	5.9	498	7.7	85	110.4	14.7	11.5	2.97	1.89	1.89	0.24	0.053	.	.
				minimum	28.1	5.6	478	7.6	37	38	7.6	7	2.46	1.52	1.52	0.15	0.004	.	.
				maximum	30.4	6.7	563	7.9	170	256	26.6	24.5	6.51	2.21	2.21	0.37	0.084	.	.
				stderr	0.09	0.02	3	0.01	4.54	11.91	1	0.28	0.12	0.03	0.03	0.01	0.003	.	.
				n	74	74	74	74	75	34	34	71	40	41	41	40	41	41	0
op	1995	SM	SC	mean	29.07	8.1	516	7.8	71	108.2	12.9	18.5	2.86	1.73	1.73	0.202	0.044	.	.
				median	28.5	6.1	526	7.8	65	105.1	12.3	11.7	2.79	1.84	1.84	0.189	0.042	.	.
				minimum	28.3	5.6	432	7.6	12	17.9	9.2	8.3	2.32	0.94	0.94	0.106	0.002	.	.
				maximum	32.4	25	557	8.6	150	194.9	20.5	151	4.44	2.17	2.17	0.329	0.102	.	.
				stderr	0.15	0.75	4	0.04	3.64	6.48	0.47	2.91	0.06	0.04	0.04	0.009	0.003	.	.
				n	59	59	58	59	75	31	31	75	44	44	44	44	44	44	0
op	1995	FL	MC	mean	18.17	8.8	618	7.9	50	51.4	6.9	12.7	1.6	0.71	0.71	0.115	0.039	.	.
				median	18.3	8.7	624	7.9	47	51.5	6.9	12.6	1.48	0.69	0.69	0.116	0.039	.	.
				minimum	16.9	7.2	584	7.8	30	20.1	4.5	9.7	1.24	0.1	0.1	0.07	0.015	.	.
				maximum	18.6	9.6	649	8	71	68	9.4	21.8	3.3	0.92	0.92	0.16	0.061	.	.
				stderr	0.04	0.04	2	0.01	1.07	1.15	0.1	0.2	0.06	0.02	0.02	0.003	0.001	.	.
				n	75	75	75	75	75	67	67	75	41	41	41	41	41	41	0
op	1995	FL	SC	mean	18.45	8.7	616	8	35	32	6.5	14	1.34	0.6	0.6	0.12	0.027	.	.
				median	18.3	8.8	619	7.9	31	24.8	6.5	12.9	1.34	0.65	0.65	0.117	0.031	.	.
				minimum	16.9	4.8	568	7.7	15	9.2	3.1	6.6	0.51	0.1	0.1	0.031	0.002	.	.
				maximum	21.8	15.3	723	8.4	57	63.8	11.1	49.6	2.55	0.96	0.96	0.561	0.08	.	.
				stderr	0.16	0.23	4	0.02	1.65	2.21	0.22	0.73	0.06	0.04	0.04	0.012	0.003	.	.
				n	75	75	75	75	75	62	62	75	43	43	43	43	42	42	0
op	1996	WN	MC	mean	2.25	13.2	569	7.7	73	.	.	6	3.18	2.05	2.05	0.232	0.11	0.3	0
				median	2.5	13.1	553	7.7	82	.	.	6	3.17	2.09	2.09	0.233	0.108	0	0
				minimum	0.1	11.9	523	7.6	14	.	.	4.7	2.79	1.69	1.69	0.126	0.045	0	0
				maximum	5.5	14.8	641	7.9	120	.	.	7.7	3.96	2.31	2.31	0.347	0.219	20	0
				stderr	0.18	0.07	4	0.01	3.59	.	.	0.09	0.03	0.03	0.03	0.01	0.007	0.3	0
				n	75	75	75	75	75	0	0	74	42	43	43	42	43	75	75
op	1996	WN	SC	mean	4.66	13.8	583	7.8	51	.	.	16	2.9	1.92	1.92	0.174	0.089	0	0
				median	4.5	13.2	572	7.8	43	.	.	6.3	2.99	1.97	1.97	0.17	0.081	0	0
				minimum	0.5	12.1	541	7.4	7	.	.	4.3	1.71	0.42	0.42	0.087	0.002	0	0
				maximum	15.5	20.1	643	8.6	130	.	.	107	3.61	2.57	2.57	0.359	0.169	0	0
				stderr	0.43	0.22	3	0.03	3.96	.	.	2.77	0.07	0.07	0.07	0.01	0.007	0	0
				n	75	75	75	75	73	0	0	75	40	42	42	40	42	75	75
op	1996	SP	MC	mean	13.95	8.7	464	7.7	175	213.5	16.2	14.6	2.66	1.38	1.38	0.334	0.063	.	.
				median	14.1	8.5	456	7.6	200	248.9	18	14.1	2.57	1.37	1.37	0.289	0.062	.	.
				minimum	13	8	382	7.5	60	71	8.3	3.6	2.23	1.2	1.2	0.155	0.046	.	.
				maximum	14.7	9.7	523	7.8	310	335.6	22.4	43.2	4.25	1.48	1.48	0.56	0.088	.	.
				stderr	0.07	0.09	6	0.02	12.3	14.47	1.31	0.88	0.09	0.02	0.02	0.03	0.003	.	.
				n	40	40	40	40	40	40	16	39	21	22	22	22	22	22	0

Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	1996	SP	SC	mean	14.21	8.5	452	7.6	211	242.4	19	13.2	2.8	1.34	1.34	0.344	0.06	.	.
				median	14.3	8.2	440	7.6	220	241.4	19.8	13	2.72	1.35	1.35	0.355	0.054	.	.
				minimum	12.6	7.8	360	7.2	37	34.5	6	9.5	2.33	1.22	1.22	0.152	0.038	.	.
				maximum	14.5	9.4	525	7.8	460	688.8	31.6	18	3.88	1.5	1.5	0.63	0.114	.	.
				stderr	0.05	0.09	5	0.02	10.49	16.31	0.94	0.36	0.08	0.01	0.01	0.022	0.004	.	.
				n	42	42	42	42	42	42	28	41	24	24	24	22	23	0	0
op	1996	SM	MC	mean	26.41	6.3	514	7.6	150	242.5	20.2	12.8	3.58	2.63	2.63	.	0.062	.	.
				median	26	6.3	481	7.5	160	223	20.8	11.8	3.36	2.65	2.65	.	0.062	.	.
				minimum	25.5	5	431	7.4	30	42.3	5	7.7	2.83	2.3	2.3	.	0.018	.	.
				maximum	27.5	7	615	8.4	560	1133	98.5	17.7	8.64	3.04	3.04	.	0.096	.	.
				stderr	0.07	0.03	8	0.02	10.69	18.9	1.7	0.34	0.14	0.02	0.02	.	0.003	.	.
				n	75	75	75	75	75	75	75	72	42	42	42	0	42	0	0
op	1996	SM	SC	mean	26.71	6	507	6.2	207	321	23	12.6	3.73	2.46	2.46	.	0.065	.	.
				median	26.6	6.4	466	7.5	110	171.7	11.5	13	3.44	2.51	2.51	.	0.064	.	.
				minimum	25.6	4.8	434	0	25	23	3.6	7.6	2.96	2.14	2.14	.	0.023	.	.
				maximum	27.8	7.1	604	8.4	620	1199	80.2	17.9	10.28	2.72	2.72	.	0.1	.	.
				stderr	0.07	0.1	9	0.35	23.09	41.35	2.82	0.31	0.17	0.03	0.03	.	0.002	.	.
				n	61	61	60	75	75	73	72	73	43	43	43	0	41	0	0
op	1996	FL	MC	mean	17.7	8.4	601	7.9	67	90.8	9.1	16.1	1.91	0.85	0.85	.	0.038	.	.
				median	17.8	8.3	585	7.9	73	97.3	9.5	14.2	1.55	0.86	0.86	.	0.039	.	.
				minimum	17	8.1	558	7.8	39	57.2	5.9	6	1.28	0.7	0.7	.	0.011	.	.
				maximum	18.5	10	660	8.1	93	119.7	12.7	27.3	8.49	0.91	0.91	.	0.063	.	.
				stderr	0.05	0.04	5	0.01	1.78	2.1	0.19	0.64	0.18	0.01	0.01	.	0.002	.	.
				n	75	67	75	75	75	75	73	75	42	42	42	0	42	0	0
op	1996	FL	SC	mean	18.15	9.3	604	8	42	52.9	6.8	20.2	1.54	0.63	0.63	.	0.025	.	.
				median	17.9	8.8	602	8	26	32.6	5.5	17.6	1.4	0.79	0.79	.	0.024	.	.
				minimum	17.3	8	558	7.7	9	12.1	3.3	9.2	0.83	0.1	0.1	.	0.002	.	.
				maximum	19.2	13.8	661	8.3	83	105.4	12.1	47	6.49	0.9	0.9	.	0.067	.	.
				stderr	0.06	0.2	5	0.02	3.59	4.79	0.36	1.29	0.14	0.04	0.04	.	0.003	.	.
				n	60	58	60	60	60	60	60	58	41	41	41	0	41	0	0
op	1997	WN	MC	mean	1.16	12.7	572	7.6	51	73.1	6.5	5.1	3.35	2.23	2.23	0.2	0.05	0	0
				median	1.2	12.6	576	7.6	50	69	6.2	5.1	3.21	2.21	2.21	0.197	0.051	0	0
				minimum	0.8	12.2	508	7.5	35	47.6	4.3	3.8	2.88	1.95	1.95	0.151	0.005	0	0
				maximum	1.5	13.5	602	7.7	74	105.6	9.1	6.6	5.91	2.56	2.56	0.243	0.08	0	0
				stderr	0.02	0.04	3	0.01	1.31	1.69	0.14	0.07	0.08	0.02	0.02	0.004	0.003	0	0
				n	75	75	75	75	75	75	75	75	44	44	44	44	44	75	75
op	1997	WN	SC	mean	1.47	12.6	573	7.6	49	59.1	5.6	4.5	3.35	2.22	2.22	0.193	0.055	0	0
				median	1.4	12.6	576	7.6	50	66	5.9	4.6	3.2	2.19	2.19	0.191	0.057	0	0
				minimum	1.2	12.2	514	7.4	22	14.6	2.2	2.5	2.83	1.87	1.87	0.142	0.005	0	0
				maximum	2.3	13.1	607	7.7	84	99.3	9	6.4	7.16	2.51	2.51	0.27	0.098	0	0
				stderr	0.02	0.02	2	0.01	2.12	3.56	0.25	0.09	0.11	0.03	0.03	0.005	0.004	0	0
				n	75	75	75	75	75	75	75	75	41	41	41	41	40	75	75

Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	1997	SP	MC	mean	13.34	9.7	493	7.6	134	265	19.6	9.2	2.59	2.11	2.11	0.271	0.019	.	.
				median	14	9.5	514	7.6	126	258.9	18.5	9.1	2.6	2.05	2.05	0.309	0.019	.	.
				minimum	11.8	8.8	447	7.5	76	136.2	12.5	6	2.11	1.75	1.75	0.019	0.001	.	.
				maximum	14.6	10.7	531	7.7	273	518	35.6	13.6	3	2.61	2.61	0.471	0.035	.	.
				stderr	0.13	0.06	4	0.01	6.43	11.42	0.69	0.23	0.03	0.03	0.03	0.018	0.001	.	.
				n	75	75	75	75	75	75	75	75	75	75	75	43	43	43	42
op	1997	SP	SC	mean	13.57	9.8	491	7.6	133	253.9	19.3	8.7	2.61	2.15	2.15	0.305	0.021	.	.
				median	13.6	10.1	475	7.6	109	223.4	17	8.4	2.61	2.18	2.18	0.302	0.022	.	.
				minimum	12	8.9	455	7.6	38	32.6	4.4	2.7	2.21	1.04	1.04	0.046	0.001	.	.
				maximum	14.6	10.8	531	7.7	297	563.2	42.5	11.8	2.93	2.66	2.66	0.572	0.048	.	.
				stderr	0.1	0.07	4	0.01	8.19	15.33	1	0.18	0.02	0.04	0.04	0.018	0.001	.	.
				n	75	75	75	75	75	75	75	75	75	75	75	46	46	46	45
op	1997	SM	MC	mean	29.87	6.2	619	7.9	54	82.7	8.3	18.6	2.07	1.75	1.75	0.2	0.038	.	.
				median	29.7	6.2	620	8	47	77.9	7.7	19.1	2.06	1.72	1.72	0.197	0.038	.	.
				minimum	29.3	5.6	589	7.7	24	30.4	4.8	10.3	1.78	1.63	1.63	0.066	0.018	.	.
				maximum	31	6.8	630	8.1	99	131.8	12.4	28.2	2.47	1.93	1.93	0.263	0.061	.	.
				stderr	0.06	0.03	1	0.01	2.65	2.85	0.23	0.58	0.02	0.01	0.01	0.007	0.002	.	.
				n	75	75	75	75	75	75	75	75	75	75	75	42	41	41	41
op	1997	SM	SC	mean	30.34	8.5	607	8.1	35	56.7	6.7	19.2	1.95	1.61	1.61	0.163	0.036	.	.
				median	29.9	6.4	614	8.1	34	60.2	6.8	17.6	2.04	1.66	1.66	0.177	0.037	.	.
				minimum	29.3	5.7	544	7.8	6	7.9	2.9	4.6	1.21	0.7	0.7	0.03	0.001	.	.
				maximum	32.9	25	627	8.8	69	122.6	10.9	54.9	2.42	2.06	2.06	0.25	0.084	.	.
				stderr	0.11	0.67	2	0.03	1.74	3.23	0.24	1.24	0.05	0.05	0.05	0.009	0.003	.	.
				n	75	75	75	75	75	75	75	75	75	75	75	40	43	43	39
op	1997	FL	MC	mean	21.79	7.7	653	8.1	37	57.6	6.5	19.9	1.33	0.84	0.84	0.187	0.041	.	.
				median	21.8	7.7	656	8.1	37	58.1	6.6	20	1.33	0.83	0.83	0.186	0.04	.	.
				minimum	21.5	7.3	627	8	20	23.5	3.5	11.9	1.14	0.78	0.78	0.146	0.022	.	.
				maximum	22.1	8.2	663	8.2	44	69.7	8.2	25.8	1.49	1.06	1.06	0.236	0.066	.	.
				stderr	0.02	0.02	1	0	0.41	0.84	0.08	0.26	0.01	0.01	0.01	0.002	0.002	.	.
				n	75	75	75	75	75	75	75	75	75	75	75	46	46	46	46
op	1997	FL	SC	mean	21.42	7.6	659	8	23	32.2	4.9	19.6	1.14	0.61	0.61	0.13	0.019	.	.
				median	21.9	7.7	653	8.1	21	25.1	4.3	18.1	1.2	0.79	0.79	0.142	0.021	.	.
				minimum	17	5.4	613	7.5	10	11.5	2.6	8.1	0.71	0.13	0.13	0.001	0.001	.	.
				maximum	23.1	9.9	706	8.4	44	107	13.1	54.2	1.45	0.91	0.91	0.214	0.051	.	.
				stderr	0.14	0.1	3	0.03	1.11	2.29	0.23	1.09	0.04	0.05	0.05	0.008	0.003	.	.
				n	73	66	73	73	73	73	73	73	73	73	73	39	39	39	41
op	1998	WN	MC	mean	2.48	13.1	627	8	26	35.9	5.2	6.7	3.58	3.02	3.02	0.162	0.027	0	0
				median	2.2	13.2	627	8	27	35.6	5.1	6.4	3.58	3.03	3.03	0.165	0.028	0	0
				minimum	1.4	12.4	600	7.9	20	30.3	3.5	4.3	3.25	2.72	2.72	0.086	0.009	0	0
				maximum	3.6	14	656	8.1	38	45.8	7.2	10.4	4	3.42	3.42	0.186	0.045	0	0
				stderr	0.09	0.04	2	0.01	0.48	0.4	0.1	0.19	0.03	0.03	0.03	0.002	0.001	0	0
				n	77	77	77	77	77	77	77	77	77	77	77	43	43	43	43

Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	1998	WN	SC	mean	3.35	12.8	617	8	20	25.5	4.1	6.6	3.31	2.78	2.78	0.144	0.024	0	0
				median	3.5	13	626	8	21	28.7	4.4	5.6	3.45	2.87	2.87	0.149	0.023	0	0
				minimum	1.9	10.6	500	7.3	8	6.9	1.8	1	2.44	1.94	1.94	0.104	0.001	0	0
				maximum	5.4	13.9	640	8.1	28	37.5	5.5	25.3	3.78	3.19	3.19	0.179	0.058	0	0
				stderr	0.11	0.1	4	0.02	0.56	1.07	0.13	0.36	0.06	0.06	0.06	0.003	0.002	0	0
				n	73	73	73	73	73	73	59	73	44	41	41	44	43	73	73
op	1998	SP	MC	mean	16.1	8.5	520	7.7	115	189.3	18.6	12.9	4.56	4.05	4.05	0.34	0.034	.	.
				median	15.2	8.3	522	7.7	104	164.2	16.9	13.1	4.58	3.88	3.88	0.312	0.033	.	.
				minimum	14.8	7.7	483	7.6	73	113.9	11.7	8.6	3.98	3.01	3.01	0.235	0.022	.	.
				maximum	18.9	9.6	560	7.8	184	322.6	30.8	14.4	5.15	4.85	4.85	0.531	0.059	.	.
				stderr	0.18	0.07	3	0.01	3.66	6.47	0.57	0.14	0.05	0.07	0.07	0.013	0.001	.	.
				n	75	75	75	75	75	75	75	58	44	44	44	44	44	44	44
op	1998	SP	SC	mean	15.9	8.3	518	7.7	106	169	17	13	4.51	4.05	4.05	0.32	0.034	.	.
				median	15.2	8.1	522	7.7	89	141.4	14.4	13.2	4.49	4.11	4.11	0.263	0.034	.	.
				minimum	14.9	7.7	468	7.6	45	38.6	7.4	8.2	3.93	3.47	3.47	0.214	0.019	.	.
				maximum	19	9.4	555	7.8	191	370.4	29.5	15.5	4.96	4.73	4.73	0.548	0.055	.	.
				stderr	0.18	0.06	3	0.01	4.32	7.83	0.66	0.19	0.04	0.06	0.06	0.015	0.001	.	.
				n	75	75	75	75	75	75	75	57	43	43	43	43	43	43	0
op	1998	SM	MC	mean	26.4	6.2	426	7.5	213	295.1	30.6	12.9	2.33	1.78	1.78	0.323	0.061	.	.
				median	26.2	5.9	427	7.5	224	311.2	31.7	12.9	2.33	1.78	1.78	0.32	0.059	.	.
				minimum	25.8	4.6	375	7.4	103	141.1	16.9	4.1	2.09	1.61	1.61	0.227	0.047	.	.
				maximum	27.7	7.7	488	7.6	314	451.7	43.7	16.5	2.54	1.99	1.99	0.428	0.088	.	.
				stderr	0.07	0.1	4	0.01	6.54	9.18	0.77	0.23	0.02	0.02	0.02	0.009	0.001	.	.
				n	75	75	75	75	75	75	75	75	40	40	40	40	40	40	0
op	1998	SM	SC	mean	27.29	6.2	445	7.6	177	252.2	25.9	11	2.42	1.92	1.92	0.292	0.061	.	.
				median	26.4	5.9	449	7.5	206	259	28.8	12.3	2.33	1.82	1.82	0.257	0.06	.	.
				minimum	25.8	4.2	378	7.3	33	27	4.8	1.2	1.88	1.56	1.56	0.111	0.044	.	.
				maximum	34	8.2	543	7.9	336	564.5	47.3	15.7	3.31	2.92	2.92	0.45	0.109	.	.
				stderr	0.23	0.12	5	0.02	10.72	17.58	1.47	0.42	0.06	0.05	0.05	0.016	0.002	.	.
				n	75	75	75	75	75	75	75	75	39	39	39	40	41	0	0
op	1998	FL	MC	mean	17.84	7.3	388	7.7	192	318.1	29.2	5.7	1.67	1.09	1.09	0.312	0.052	.	.
				median	17.7	7.6	378	7.6	152	270.2	24.2	5.5	1.63	0.99	0.99	0.274	0.046	.	.
				minimum	17.3	5.9	327	7.6	86	112	13.6	2	1.34	0.81	0.81	0.15	0.032	.	.
				maximum	18.5	8.1	452	7.8	393	697.3	60.1	7.9	2.16	1.53	1.53	0.577	0.105	.	.
				stderr	0.05	0.07	6	0.01	11.97	18.43	1.61	0.13	0.03	0.04	0.04	0.018	0.003	.	.
				n	75	75	75	75	75	75	75	75	41	41	41	42	42	0	0
op	1998	FL	SC	mean	17.91	7.1	355	7.6	202	275.1	26.2	4.6	1.46	0.87	0.87	0.317	0.047	.	.
				median	17.7	7.3	344	7.6	173	291.3	25.9	4.6	1.47	0.86	0.86	0.302	0.046	.	.
				minimum	17.4	5.6	326	7.5	84	65.7	8	1.4	1.24	0.01	0.01	0.154	0.027	.	.
				maximum	19.8	8.6	435	7.8	490	665.3	53.7	7.5	1.83	1.44	1.44	0.678	0.083	.	.
				stderr	0.07	0.1	4	0.01	10.47	16.72	1.28	0.14	0.02	0.03	0.03	0.017	0.002	.	.
				n	75	75	75	75	75	75	75	75	41	41	41	41	41	0	0

Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	1999	WN	MC	mean	3.18	12.7	492	7.6	167	290.5	25.5	7.3	3.4	2.39	2.39	0.332	0.061	0	0
				median	3.5	12	474	7.5	138	292.6	25.9	6.6	3.42	2.42	2.42	0.323	0.063	0	0
				minimum	1.9	11.4	419	7.3	114	179.3	17.4	1.6	2.67	1.2	1.2	0.209	0.038	0	0
				maximum	4.3	15.7	574	8.2	282	409.2	34.3	12.1	3.74	2.78	2.78	0.443	0.085	0	0
				stderr	0.09	0.14	6	0.03	5.7	6.98	0.53	0.28	0.03	0.04	0.04	0.01	0.002	0	0
				n	76	76	76	76	76	76	76	76	76	76	76	44	42	42	44
op	1999	WN	SC	mean	3.58	12.4	455	7.4	206	322.5	27.8	6.5	3.38	2.23	2.23	0.382	0.058	0	0
				median	3.6	11.9	460	7.4	216	326.6	28.2	6.6	3.39	2.31	2.31	0.387	0.056	0	0
				minimum	2.5	11.5	408	7.3	120	196.4	18.4	1.4	3.01	0.02	0.02	0.266	0.038	0	0
				maximum	4	16	541	8.1	336	412.5	36.3	9.9	3.82	2.73	2.73	0.477	0.08	0	0
				stderr	0.04	0.16	4	0.02	5.85	5.98	0.53	0.19	0.02	0.08	0.08	0.008	0.002	0	0
				n	74	74	74	74	74	74	74	74	74	74	74	42	42	42	42
op	1999	SP	MC	mean	16.3	7.8	454	7.6	237	396.9	37.4	10.4	4.99	4.18	4.18	0.339	0.037	.	.
				median	16.5	7.8	456	7.6	198	358.1	34	10.4	5.04	4.24	4.24	0.341	0.037	.	.
				minimum	13.8	7.5	425	7.5	162	234.1	27.4	8.8	4.05	3.74	3.74	0.04	0.026	.	.
				maximum	17.3	8.1	467	7.8	486	807.3	60.7	12.7	5.31	4.45	4.45	0.551	0.044	.	.
				stderr	0.15	0.02	1	0.01	12.49	18.39	1.19	0.11	0.06	0.03	0.03	0.015	0.001	.	.
				n	55	55	55	55	55	55	55	55	53	28	28	28	27	27	0
op	1999	SP	SC	mean	15.24	7.9	461	7.6	282	471.4	42.5	9.6	4.99	3.99	3.99	0.404	0.033	.	.
				median	14.1	7.9	462	7.6	228	404.4	39.2	9.8	4.96	4.07	4.07	0.378	0.033	.	.
				minimum	13.6	7.5	442	7.2	162	249.2	29	7.9	4.76	3.69	3.69	0.247	0.023	.	.
				maximum	17.2	8.4	486	7.7	474	789.3	63.1	10.7	5.26	4.33	4.33	0.551	0.042	.	.
				stderr	0.19	0.03	2	0.01	13.72	20.26	1.42	0.09	0.02	0.03	0.03	0.015	0.001	.	.
				n	57	57	57	57	57	57	57	57	57	32	32	32	32	32	0
op	1999	SM	MC	mean	30.84	6	572	7.9	71	117.7	15.4	26.2	3.44	2.85	2.85	0.252	0.06	.	.
				median	31	5.9	592	7.9	59	107.3	13.8	30.7	3.46	2.86	2.86	0.216	0.047	.	.
				minimum	29.5	5.6	507	7.8	17	13.2	4.3	5	3.15	2.48	2.48	0.175	0.022	.	.
				maximum	31.9	7.3	623	8.1	126	188.4	23.6	68.9	3.7	3.06	3.06	0.435	0.169	.	.
				stderr	0.07	0.04	5	0.01	3.19	4.55	0.52	1.65	0.02	0.02	0.02	0.012	0.006	.	.
				n	75	75	75	75	75	75	75	75	72	75	41	41	41	41	40
op	1999	SM	SC	mean	30.79	6.3	550	7.9	72	110.6	14.9	17	3.37	2.87	2.87	0.248	0.073	.	.
				median	31	6.1	546	7.8	57	98.2	13.4	13.2	3.37	2.88	2.88	0.221	0.063	.	.
				minimum	29.6	5.6	506	7.8	21	33.6	4.3	5.1	3.17	2.59	2.59	0.174	0.024	.	.
				maximum	31.6	7.1	618	8.1	114	196.6	24.1	44.6	3.62	2.97	2.97	0.416	0.156	.	.
				stderr	0.06	0.06	4	0.01	2.95	5.21	0.58	1.2	0.02	0.01	0.01	0.01	0.006	.	.
				n	75	75	75	75	75	75	75	75	74	75	39	39	39	40	39
op	1999	FL	MC	mean	17.62	8.9	638	8	39	61.9	10.1	26.6	1.54	0.98	0.98	0.179	.	.	.
				median	18.2	8.7	635	8	40	62.5	10.1	26.6	1.52	0.95	0.95	0.179	.	.	.
				minimum	16.3	8.4	616	7.9	25	33.9	7.3	17.8	1.33	0.89	0.89	0.154	.	.	.
				maximum	18.8	9.6	661	8.3	46	71.3	11.7	31.8	1.74	1.1	1.1	0.198	.	.	.
				stderr	0.11	0.05	2	0.01	0.4	0.72	0.1	0.28	0.02	0.01	0.01	0.002	.	.	.
				n	70	70	70	70	70	70	70	70	70	70	70	37	37	37	37

Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	1999	FL	SC	mean	18.86	9.6	635	7.8	25	30.8	8.4	24.5	0.92	0.37	0.37	0.088	.	.	.
				median	19	9.4	633	7.9	18	19.7	7.9	24.1	0.69	0.13	0.13	0.049	.	.	.
				minimum	15.3	3.4	580	7.5	6	9	5.8	14.7	0.49	0.01	0.01	0.033	.	.	.
				maximum	21.5	13.6	682	8.2	96	84.2	14.4	33.3	1.93	1.12	1.12	0.207	.	.	.
				stderr	0.28	0.37	6	0.04	3.74	4.31	0.45	1.07	0.14	0.12	0.12	0.019	.	.	.
				n	25	25	25	25	25	25	25	25	13	13	13	13	0	0	0
op	2000	WN	MC	mean	1.29	14	633	8.3	20	32	6.8	13.8	2.24	1.42	1.42	0.139	0.016	0	0
				median	1.4	14	643	8.3	20	31.2	6.5	11.7	2.22	1.43	1.43	0.139	0.017	0	0
				minimum	0.8	13.3	607	8.2	17	25.7	0.5	9.9	2.11	1.34	1.34	0.066	0.005	0	0
				maximum	1.8	14.7	659	8.3	31	40.2	15.4	27.8	2.52	1.53	1.53	0.18	0.041	0	0
				stderr	0.03	0.05	2	0	0.2	0.36	0.22	0.59	0.02	0.01	0.01	0.003	0.001	0	0
				n	75	75	75	75	75	75	75	75	29	29	29	29	29	29	75
op	2000	WN	SC	mean	1.56	13.4	636	8.2	18	24.9	4.8	9.9	2.13	1.39	1.39	0.093	0.015	0	0
				median	1.5	13.5	645	8.3	20	29.9	5.2	10.4	2.14	1.32	1.32	0.076	0.015	0	0
				minimum	1	12.7	610	7.9	8	7.7	0.5	4.6	2.09	1.3	1.3	0.069	0.014	0	0
				maximum	2	14.4	671	8.3	24	36.3	6.5	14.7	2.17	1.55	1.55	0.133	0.016	0	0
				stderr	0.11	0.19	8	0.07	1.83	3.58	0.65	1.05	0.02	0.08	0.08	0.02	0.001	0	0
				n	8	8	8	8	8	8	8	8	3	3	3	3	3	8	8
op	2000	SP	MC	mean	16.03	8.7	592	8.1	39	64.7	10.7	37.4	2.42	1.72	1.72	0.157	0.028	.	.
				median	15.4	8.4	590	8.1	39	66.4	10.4	34.7	2.08	1.27	1.27	0.172	0.028	.	.
				minimum	14.7	8	561	7.9	22	40.1	8	19.8	1.89	1.11	1.11	0.042	0.016	.	.
				maximum	18	9.6	624	8.4	50	83.1	15.9	62.8	3.38	2.68	2.68	0.2	0.052	.	.
				stderr	0.14	0.06	1	0.01	0.82	0.85	0.15	1.22	0.14	0.15	0.15	0.009	0.002	.	.
				n	75	75	75	75	75	75	75	75	18	18	18	21	21	0	0
op	2000	SP	SC	mean	17.87	9.9	578	8.4	25	40.9	10.2	38.1	1.93	1.18	1.18	0.121	0.017	.	.
				median	18.1	9.2	582	8.2	21	33.5	10.4	35.1	1.91	1.14	1.14	0.122	0.015	.	.
				minimum	14.8	8.1	517	8	7	0.5	5.3	13.7	0.85	0.1	0.1	0.009	0.002	.	.
				maximum	24.1	16.4	624	9.3	44	78	27.7	139.9	3.45	2.66	2.66	0.195	0.056	.	.
				stderr	0.36	0.3	3	0.05	1.48	3.03	0.46	2.34	0.15	0.17	0.17	0.011	0.003	.	.
				n	63	49	63	63	63	62	62	63	23	23	23	24	24	0	0
op	2000	SM	MC	mean	26.79	6.5	507	7.8	81	111	12.6	12.5	3.7	3.02	3.02	0.245	0.085	.	.
				median	26.8	6.5	509	7.7	84	116.5	12.8	12.2	3.59	3.02	3.02	0.249	0.082	.	.
				minimum	26.4	6.2	318	7.7	34	42.6	7.4	5	3.46	2.75	2.75	0.202	0.056	.	.
				maximum	27.5	6.8	528	8.1	100	152.9	16.1	22.2	6.01	3.31	3.31	0.282	0.123	.	.
				stderr	0.02	0.02	3	0.02	1.68	2.66	0.22	0.32	0.09	0.02	0.02	0.004	0.003	.	.
				n	74	74	74	74	74	74	74	74	27	29	29	29	29	0	0
op	2000	SM	SC	mean	27.19	7.2	499	7.9	62	83.3	10.6	14.5	3.57	2.99	2.99	0.232	0.082	.	.
				median	26.9	6.7	500	7.8	73	100.4	11.3	10.8	3.58	3	3	0.239	0.078	.	.
				minimum	26.6	6	481	7.7	18	17.8	5	5.2	3.25	2.66	2.66	0.168	0.03	.	.
				maximum	29.9	13.9	524	8.7	95	129.8	14.2	84.5	3.79	3.1	3.1	0.292	0.125	.	.
				stderr	0.09	0.21	1	0.03	2.93	4.44	0.3	1.49	0.03	0.02	0.02	0.006	0.003	.	.
				n	75	73	75	75	75	75	75	75	29	29	29	29	29	0	0















Reach	Year	Season	Stratum	Statistic	Water Temp (C)	DO (mg/L)	Cond. (uS)	pH	Turb (NTU)	TSS (mg/L)	VSS (mg/L)	Fluor. Chl. (ug/L)	Total nitrogen (N mg/L)	Nitrate-nitrite (N mg/L)	Ammon. (N mg/L)	Total Phosph. (P mg/L)	Soluble Phosph (P mg/L)	Ice (cm)	Snow (cm)
op	2008	WN	SC	mean	1.25	13.1	588	8	61	58.1	8.5	6.3	4.52	3.75	3.75	0.273	0.089	0.3	0
				median	0.8	13.3	567	8	82	63.8	9.1	6.6	4.51	3.73	3.73	0.288	0.09	0	0
				minimum	0.4	11.2	557	7.7	11	3.5	2	3.3	4.2	3.56	3.56	0.178	0.07	0	0
				maximum	3.3	14.3	652	8.1	135	125.2	17.1	12.2	5.11	3.98	3.98	0.415	0.102	5	0
				stderr	0.12	0.12	5	0.01	4.71	4.9	0.59	0.25	0.05	0.02	0.02	0.017	0.002	0.1	0
				n	56	56	56	56	56	56	56	55	17	17	17	17	17	17	56
op	2008	SP	MC	mean	13.09	8.8	473	8.1	112	172.5	18.1	9	4.24	3.53	3.53	0.281	0.059	.	.
				median	13	8.8	475	8	106	171.8	18	9.2	4.27	3.6	3.6	0.286	0.058	.	.
				minimum	12.1	7.8	426	7.9	80	114.5	15.1	4.7	3.33	2.72	2.72	0.241	0.053	.	.
				maximum	13.8	10.2	482	8.3	180	237	21.9	12.3	4.71	3.8	3.8	0.313	0.07	.	.
				stderr	0.05	0.07	1	0.01	2.14	2.72	0.2	0.15	0.05	0.05	0.05	0.003	0.002	.	.
				n	75	75	75	75	75	75	75	75	26	25	25	26	11	0	0
op	2008	SP	SC	mean	13.08	9.1	468	8.1	118	172.1	18.6	10.1	4.26	3.5	3.5	0.292	0.061	.	.
				median	13.3	9.1	471	8.2	118	180.7	18.3	10.3	4.3	3.5	3.5	0.297	0.06	.	.
				minimum	12.1	7.9	421	7.9	81	101.1	14.5	7	3.78	3.17	3.17	0.224	0.052	.	.
				maximum	14.6	10.8	479	8.2	150	204.7	23.3	16.4	4.95	3.66	3.66	0.332	0.072	.	.
				stderr	0.08	0.07	1	0.01	1.58	2.76	0.22	0.24	0.05	0.02	0.02	0.005	0.002	.	.
				n	75	75	75	75	75	75	75	75	26	26	26	26	9	0	0
op	2008	SM	MC	mean	28.55	5.8	478	7.8	97	128.1	15.4	14.5	3.51	2.85	2.85	0.282	0.087	.	.
				median	28.6	5.8	481	7.8	88	123.2	14.7	14.5	3.53	2.84	2.84	0.269	0.084	.	.
				minimum	27.3	5.4	442	7.7	43	45.7	8.6	1	3.35	2.68	2.68	0.241	0.064	.	.
				maximum	29.2	6.6	484	7.9	290	324.4	33.6	22.4	3.62	3.01	3.01	0.42	0.124	.	.
				stderr	0.04	0.03	1	0.01	5.19	5.44	0.45	0.34	0.01	0.02	0.02	0.009	0.003	.	.
				n	75	75	75	75	72	75	75	74	26	26	26	26	26	0	0
op	2008	SM	SC	mean	28.33	5.8	466	7.8	143	177.6	20.7	13	3.56	2.84	2.84	0.322	0.089	.	.
				median	28.5	5.8	468	7.8	98	138.2	17.7	13.1	3.56	2.86	2.86	0.285	0.091	.	.
				minimum	27.3	5.3	436	7.6	40	34.5	0	5.1	3.33	2.66	2.66	0.243	0.066	.	.
				maximum	29	6.3	483	7.9	385	431.6	55.7	17.2	3.73	3.02	3.02	0.493	0.105	.	.
				stderr	0.06	0.02	2	0.01	9.41	9.62	1	0.19	0.02	0.02	0.02	0.014	0.002	.	.
				n	75	75	75	75	75	75	75	75	26	26	26	26	26	0	0
op	2008	FL	MC	mean	15.43	8.5	558	8.1	101	121.9	14.2	19.6	2.15	1.42	1.42	0.249	0.071	.	.
				median	14.1	8.4	561	8.1	56	66.7	9.3	19.5	2.07	1.44	1.44	0.224	0.07	.	.
				minimum	13	7.9	526	8	21	17.3	3.8	1	1.76	1.24	1.24	0.187	0.049	.	.
				maximum	17.8	9.2	600	8.2	255	321.7	30.8	31.6	2.89	1.58	1.58	0.392	0.102	.	.
				stderr	0.23	0.04	2	0.01	9	11.04	0.95	0.47	0.06	0.02	0.02	0.013	0.002	.	.
				n	75	75	75	75	75	75	75	75	26	26	26	26	26	0	0
op	2008	FL	SC	mean	15.55	8.5	553	8.1	101	117.6	14.4	18.6	1.99	1.36	1.36	0.218	0.069	.	.
				median	17.2	8.4	560	8.1	47	57.1	8.5	19.3	1.9	1.33	1.33	0.199	0.068	.	.
				minimum	12.5	7.2	503	8	20	21.8	5.6	10	1.72	1.22	1.22	0.153	0.055	.	.
				maximum	18.1	9	587	8.2	250	306.5	31.1	23.7	2.56	1.58	1.58	0.378	0.094	.	.
				stderr	0.29	0.04	3	0.01	10.03	11.99	1.09	0.4	0.06	0.02	0.02	0.015	0.003	.	.
				n	64	64	64	64	64	64	64	64	20	20	20	20	20	0	0

